Applicants: Howard J. Jacob, et al.

Application No. 10/625,870

AMENDMENTS TO THE CLAIMS

This listing of claims will replace (re-join) all prior versions, and listings, of claims in the above-identified application.

Applicants re-submit claims 1, 3-8 and add new claims 16 and 17.

Listing of Claims:

- 1. (Currently Amended) A rat diabetes model, wherein the rat develops symptoms of type II diabetes and progressive diabetic nephropathy with nodule formation and wherein the rat is obtained from a cross between a Fawn Hooded rat and a GK rat, wherein the rat develops progressive proteinuria and glomerulosclerosis leading to diabetic nephropathy.
 - 2. (Withdrawn) The rat of claim 1, wherein the rat is of strain T2DN Mimic_{MCW}.
 - 3. (Original) A population of rats, comprising at least two rats of claim 1.
 - 4. (Original) The rat of claim 1, wherein the rat has been genetically altered.
- 5. (Original) The rat of claim 4, wherein the rat has additional genetic material relative to an unmodified rat.
- 6. (Original) The rat of claim 4, wherein the rat lacks genetic material relative to an unmodified rat.
 - 7. (Original) A rat obtained by breeding the rat of claim 1 to a second rat.
 - 8. (Original) A rat obtained by breeding the rat of claim 4 to a second rat.
 - 9. (Withdrawn) A cell line derived from the rat of claim 1.

Applicants: Howard J. Jacob, et al.

Application No. 10/625,870

10. (Withdrawn) A cell line derived from the rat of claim 4.

- 11. (Previously presented) A method of evaluating a test compound's effect on diabetes and diabetic nephropathy in a T2DN rat comprising the steps of:
- (a) exposing the test compound to a T2DN rat obtained from a cross between a Fawn Hooded rat and a GK rat, wherein the rat would develop progressive proteinuria and glomerulosclerosis leading to diabetic nephropathy in the absence of the test compound; and
- (b) comparing the rat's development of diabetes and diabetic nephropathy with a control T2DN mimic rat that has not been exposed to the test compound.
- 12. (Previously presented) A method of evaluating a test compound's effect on diabetes and diabetic nephropathy in a T2DN rat comprising the steps of:
- (a) exposing the test compound to a genetically altered T2DN rat obtained from a cross between a Fawn Hooded rat and a GK rat, wherein the rat would develop progressive proteinuria and glomerulosclerosis leading to diabetic nephropathy in the absence of the test compound; and
- (b) comparing the rat's development of diabetes and diabetic nephropathy with a control T2DN mimic rat that has not been exposed to the test compound.
- 13. (Withdrawn) A method of evaluating a test compound's effect on cardiac damage produced by type II diabetes comprising the steps of:
- (a) exposing the test compound to the rat of claim 1, wherein the rat would develop cardiac damage in the absence of the test compound, and
- (b) comparing the rat's development of cardiac damage with a control T2DN mimic rat that has not been exposed to the test compound.
- 14. (Withdrawn) A method of evaluating a test compound's effect on vascular damage produced by type II diabetes comprising the steps of:
- (a) exposing the test compound to the rat of claim 1, wherein the rat would develop vascular damage in the absence of the test compound, and
 - (b) comparing the rat's development of vascular damage with a control T2DN

Applicants: Howard J. Jacob, et al.

Application No. 10/625,870

mimic rat that has not been exposed to the test compound.

15. (Withdrawn) A method of evaluating a test compound's effect on eye damage produced by type II diabetes comprising the steps of:

- (a) exposing the test compound to the rat of claim 1, wherein the rat would develop eye damage in the absence of the test compound, and
- (b) comparing the rat's development of eye damage with a control T2DN mimic rat that has not been exposed to the test compound.
 - 16. (New) A rat diabetes model obtained by the process of claim 1.
- 17. (New) The rat of claim 16 wherein the rat has been genetically altered but still develops progressive proteinuria and glomerulosclerosis leading to diabetic nephropathy.